

# Resistors & Potentiometers

## 2W Multi Precision Potentiometers (Wirewound)

Detailed product specifications are available on: [us.100y.com.tw](http://us.100y.com.tw)


WXD3-13




WXD3-13B



- Power consume: (70°C) 2W
- Resistance range: 100Ω~47KΩ
- Mechanical travel: 3600°±10°
- Max. working voltage: 160V
- Mechanica life: 10000 cycle



WXD3-13 (WX1.5-1) 20 type  
L.....16, 20, 25



WXD3-13 (WX1.5-1) 18 type


Part No.	Product No.	Description	Shaft Dia. (mm)	Resistance data (Ω)	Power rating (W)	Num.of Wire	Tolerance (±)
37399	WXD3-13-100KΩ	2W Multi Precision Potentiometer		100KΩ	2W	10 Circles	
15736	WXD3-13-10KΩ	2W Multi Precision Potentiometer	4mm	10K ohm	2W	10 Circles	+2%
48668	WXD3-13-47KΩ	2W Multi Precision Potentiometer		47KΩ	2W	10 Circles	
16224	WXD3-13B-10KΩ	2W Multi Precision Potentiometer	6mm	10K ohm	2W	10 Circles	+5%
15743	WXD3-13B-1KΩ	2W Multi Precision Potentiometer	6mm	1K ohm	2W	10 Circles	+5%
15744	WXD3-13B-2.2KΩ	Precision Potentiometers (Wirewound)	6mm	2.2K ohm	2W	10 Circles	+5%

## 3W Multi Precision Potentiometers (Wirewound)

Detailed product specifications are available on: [us.100y.com.tw](http://us.100y.com.tw)




- Power consume: (70°C) 3W
- Resistance range: 100Ω~100KΩ
- Mechanical travel: 3600°±10°
- Max. working voltage: 200V
- Mechanica life: 15000 cycle



Part No.	Product No.	Description	Shaft Dia. (mm)	Resistance data (Ω)	Power rating (W)	Num.of Wire	Tolerance (±)
15746	WXD4-23-10KΩ	3W Multi Precision Potentiometer	6mm	10K ohm	3W	10 Circles	+3%



- Power consume: (70°C) 3W
- Resistance range: 47Ω~56KΩ
- Mechanical travel: 1800°±10°
- Max. working voltage: 200V
- Mechanica life: 15000 cycle




Part No.	Product No.	Description	Shaft Dia. (mm)	Resistance data (Ω)	Power rating (W)	Num.of Wire	Tolerance (±)
15747	WXD5-32-10KΩ	3W Multi Precision Potentiometer	4mm	10K ohm	3W	10 Circles	+5%

## 5W Multi Precision Potentiometers (Wirewound)

Detailed product specifications are available on: [us.100y.com.tw](http://us.100y.com.tw)



- Power consume: (70°C) 5W
- Resistance range: 100Ω~120KΩ
- Mechanical travel: 3600°±10°
- Max. working voltage: 200V
- Mechanica life: 15000 cycle



Part No.	Product No.	Description	Shaft Dia. (mm)	Resistance data (Ω)	Power rating (W)	Num.of Wire	Tolerance (±)
15748	WXD7-33-3.3KΩ	5W Multi Precision Potentiometer	4mm	3.3K ohm	5W	10 Circles	+5%

