


Resistors & Potentiometers

RIG The Big Power is Tiny to Take the Resistor

Detailed product specifications are available on: us.100y.com.tw




Specification/Features

- High stability and strong construction
- Environment temperature: -55°C ~ +125°C



| Type | Power rating | Dimensions | | | | | | | GHZ | VSWR (max) | Standard Type |
|---------|--------------|------------|---|-----|-------|-----|-----|---|------|------------|---------------------|
| | | A | B | C | D±0.2 | H | G | Φ | | | |
| RIG2-4E | 10 | 7.7 | 5 | 2.5 | 1 | 2.8 | 3.5 | 3 | DC~3 | 1.2:1 | Q/20275660-7.1-2002 |

| Part No. | Product No. | Manufacturer | Description | Type | Resistance(Ω) | Size:A*B*G*L(mm) | Tolerance(±) | Power (W) |
|----------|---------------------|--------------|--|---------|---------------|------------------|--------------|-----------|
| 29399 | RIG2-4E-10W-100Ω±5% | RHD | RIG THE BIG POWER IS TINY TO TAKE THE RESISTOR | RIG2-4E | 100Ω | 7.7*5*3.5*2.8 | ±5% | 10W |
| 46921 | RIG2-4E-10W-10Ω±5% | RHD | RIG THE BIG POWER IS TINY TO TAKE THE RESISTOR | RIG2-4E | 10 | 7.7*5*3.5*2.8 | ±5% | 10W |
| 46922 | RIG2-4E-10W-20Ω±5% | RHD | RIG THE BIG POWER IS TINY TO TAKE THE RESISTOR | RIG2-4E | 20 | 7.7*5*3.5*2.8 | ±5% | 10W |
| 46925 | RIG2-4E-10W-53Ω±5% | RHD | RIG THE BIG POWER IS TINY TO TAKE THE RESISTOR | RIG2-4E | 53 | 7.7*5*3.5*2.8 | 5% | 10W |
| 46924 | RIG2-4E-10W-8Ω±5% | RHD | RIG THE BIG POWER IS TINY TO TAKE THE RESISTOR | RIG2-4E | 8Ω | 7.7*5*3.5*2.8 | 5% | 10W |




Specification/Features

- High stability and strong construction
- Environment temperature: -55°C ~ +125°C



| Type | Power rating | Dimensions | | | | | | | GHZ | VSWR (max) | Standard Type |
|----------|--------------|------------|---|-----|-------|-----|-----|---|------|------------|---------------------|
| | | A | B | C | D±0.2 | H | G | Φ | | | |
| RIG2-4E2 | 5 | 7.7 | 5 | 2.5 | 1 | 1.9 | 2.8 | 3 | DC~3 | 1.2:1 | Q/20275660-7.1-2002 |

| Part No. | Product No. | Manufacturer | Description | Type | Resistance(Ω) | Size:A*B*G*L(mm) | Tolerance(±) | Power (W) |
|----------|---------------------|--------------|--|----------|---------------|------------------|--------------|-----------|
| 29400 | RIG2-4E2-5W-100Ω±5% | RHD | RIG THE BIG POWER IS TINY TO TAKE THE RESISTOR | RIG2-4E2 | 100Ω | 7.7*5*2.8*1.9 | ±5% | 5W |




Specification/Features

- High stability and strong construction
- Environment temperature: -55°C ~ +85°C



| Type | Power rating | Dimensions | | | | | | | | | GHZ | VSWR (max) |
|----------|--------------|------------|---|---|-------|-----|---|-----|-----|-----|------|------------|
| | | A | B | C | D±0.2 | E | F | H | G | Φ | | |
| RIG2-4F1 | 10 | 10 | 4 | 7 | 1 | 2.5 | 4 | 2.3 | 3.2 | 1.8 | DC~3 | 1.2:1 |

| Part No. | Product No. | Manufacturer | Description | Type | Resistance(Ω) | Size:A*B*G*L(mm) | Tolerance(±) | Power (W) |
|----------|----------------------|--------------|--|----------|---------------|------------------|--------------|-----------|
| 29406 | RIG2-4F1-10W-100Ω±5% | RHD | RIG THE BIG POWER IS TINY TO TAKE THE RESISTOR | RIG2-4F1 | 100Ω | 10*4*3.2*2.3 | ±5% | 10W |




Specification/Features

- High stability and strong construction
- Environment temperature: -55°C ~ +125°C



| Type | Power rating | Dimensions | | | | | | | GHZ | VSWR (max) | Standard Type |
|---------|--------------|------------|---|-----|-------|-----|-----|---|-----|------------|---------------------|
| | | A | B | C | D±0.2 | H | G | Φ | | | |
| RIG2-5E | 10 | 7.7 | 5 | 2.5 | 1 | 2.8 | 3.5 | 3 | / | / | Q/20275660-7.1-2002 |

| Part No. | Product No. | Manufacturer | Description | Type | Resistance(Ω) | Size:A*B*G*L(mm) | Tolerance(±) | Power (W) |
|----------|---------------------|--------------|--|---------|---------------|------------------|--------------|-----------|
| 29401 | RIG2-5E-10W-100Ω±5% | RHD | RIG THE BIG POWER IS TINY TO TAKE THE RESISTOR | RIG2-5E | 100Ω | 7.7*5*3.5*2.8 | ±5% | 10W |



Specification/Features

- High stability and strong construction
- Environment temperature: -55°C ~ +85°C



| Type | Power rating | Dimensions | | | | | | | GHZ | VSWR (max) | Standard Type |
|---------|--------------|------------|---|----|-------|-----|-----|-----|-----|------------|---------------------|
| | | A | B | C | D±0.2 | H | G | Φ | | | |
| RIG2-6E | 30 | 15 | 8 | 13 | 2.5 | 4.3 | 5.5 | 2.5 | / | / | Q/20275660-7.2-2002 |

| Part No. | Product No. | Manufacturer | Description | Type | Resistance(Ω) | Size:A*B*G*L(mm) | Tolerance(±) | Power (W) |
|----------|----------------------|--------------|--|---------|---------------|------------------|--------------|-----------|
| 29418 | RIG2-6E-300W-100Ω±5% | RHD | RIG THE BIG POWER IS TINY TO TAKE THE RESISTOR | RIG2-6E | 100Ω | 15*8*5.5*4.3 | ±5% | 300W |



T E L : Taiwan: 886-3-5753170
 F A X : Taiwan: 886-3-5753172
 E-mail : Taiwan: us_sale@100y.com.tw

Shenzhen: 86-755-83298787
 Shenzhen: 86-755-83640655
 Shenzhen: 100y@163.com

Shanghai: 86-21-54151736
 Shanghai: 86-21-64605107
 Shanghai: 100y-1@163.com