



# ANTI-STATIC PRODUCTS

## Anti-Static Products

Detailed product specifications are available on: [us.100y.com.tw](http://us.100y.com.tw)

### Surface Resistivity Checker



SI718

#### 718 Static Sensor Features

- Small-size, lightweight, conductive plastic housing
- Membrane switches for Power, Range/Zero and Hold functions
- Digital, LCD (liquid-crystal) display is easy to read and updates quickly
- Ranging system assists user in making quick and easy measurements
- Measurements accurate to 5%
- Output jack available for continuous measurements



Part No.	Product No.	Manuf.	Description
39241	19780		Surface Resistance Test Kit
15875	ST718	3M	3M Static Sensor

19780

### Topical Anti-Static Treatment



3M-8001



AR718A



ASA



D1743-6S



XAXY001U



Anti-Static Brush



Anti-Static Labels 130\*50  
Anti-Static Labels 65\*25

Part No.	Product No.	Description	Manuf.
3729	3M-8001	3M Cleaner for Static Control Mats	3M
15876	AR718A	3M Air Ionizer Test Kit	3M
28267	ASA	Anti-Static Spray-250ml	ELECTROLUB
10601	D1743-6S	Techspray_1743 Powerful Anti-Static Spray 6 Oz/84ml/170g	TECHSPRAY
35899	XAXY001U	Air Ionizers 120V	XYTRONIC
3380	Anti-Static Brush	Anti-Static Nylon Filament Brush	
27527	Anti-Static Labels 130*50	Anti-Static Labels	HONLY
27528	Anti-Static Labels 65*25	Anti-Static Labels	

### Portable Ionizer



#### SECTION 1 Features

- Rapidly neutralizes static charges.
- Covers an extended area with ionized air.
- Three speed fan with wide range of air flow.
- Low waitage heater for operator comfort.
- Bench stand of optional pedestal mount with 360 adjustability.
- Inherently balanced ion output.
- Built-in ion emitter cleaner.
- Ionization indicator lamp.
- Durable, electrically grounded steel enclosure.

#### SECTION 2 Specifications

- Unit Part Number: 4002612
  - Line Voltage: 120VAC 60Hz
  - Current Draw: Max. 3.6Amp  
Min. 0.6Amp
  - Air Volume Output: Fan Speed Flow
- |        |        |
|--------|--------|
| Low    | 70CFM  |
| Medium | 95CFM  |
| High   | 102CFM |

Part No.	Product No.	Description	Line Voltage	Air Volume Output	Size	Weight	Operating Temperature
12378	4002612	DC 离子产生机	120Vac/60Hz	70~102CFM	15 3/8"W*4 1/2"H*8 1/8"D	17.5lbs.	32°F (0°C)-122°F (50°C)

### Work Station/Matting

Detailed product specifications are available on: [us.100y.com.tw](http://us.100y.com.tw)

### Dissipative Table and Floor Mats



8BM-401A

#### Dissipative Table and Floor Mats made in Korea

- Material: Natural and synthetic rubber compound with conductive carbon
- Dual color: Top layer-Green, Bottom layer-Black
- Resistivity: Top layer  $10^8$ - $10^{10}$  Ω/square, Bottom layer  $10^7$ - $10^9$  Ω/square

#### OA010120000

- Material: Synthetic rubber compound with conductive material
- Color: Green/Black
- Thickness: 2mm
- Size: 2mm\*100cm\*10m or any cutting size
- Surface resistivity: Top layer- $10^8$  ohm/cm<sup>2</sup>, Base layer- $10^5$  ohm/cm<sup>2</sup>
- Static decay test: From 5000V to 0V less than 2 secs
- Operating temperature: From -20 degree C to 70 degree C

Part No.	Product No.	Description	Manuf.	Size
15135	8BM-401A	Dissipative Table and Floor Mats		50*60cm
3724	OA010100000	Dissipative Table and Floor Mats	RS	100cm*10M(fog surface)*0.2cm(D)
18131	OA010120000	Dissipative Table and Floor Mats		120cm*10M(fog surface)*0.2cm(D)
39723	Dissipative Table and Floor Mats	Dissipative Table and Floor Mats		10m*2mm
20604	Dissipative Table and Floor Mats made in Korea	Dissipative Table and Floor Mats made in Korea		91*185CM
20605	Dissipative Table and Floor Mats made in Korea	Dissipative Table and Floor Mats made in Korea		90*173CM
20606	Dissipative Table and Floor Mats made in Korea	Dissipative Table and Floor Mats made in Korea		60*173CM
20607	Dissipative Table and Floor Mats made in Korea	Dissipative Table and Floor Mats made in Korea		120*173CM
20608	Dissipative Table and Floor Mats made in Korea	Dissipative Table and Floor Mats made in Korea		60*180CM
20609	Dissipative Table and Floor Mats made in Korea	Dissipative Table and Floor Mats made in Korea		30*1375CM
20610	Dissipative Table and Floor Mats made in Korea	Dissipative Table and Floor Mats made in Korea		30*575CM
20611	Dissipative Table and Floor Mats made in Korea	Dissipative Table and Floor Mats made in Korea		30*115CM

39723



T E L : Taiwan: 886-3-5753170  
 F A X : Taiwan: 886-3-5753172  
 E-mail : Taiwan: [us\\_sale@100y.com.tw](mailto:us_sale@100y.com.tw)

Shenzhen: 86-755-83298787  
 Shenzhen: 86-755-83640655  
 Shenzhen: 100y@163.com

Shanghai: 86-21-54151736  
 Shanghai: 86-21-64605107  
 Shanghai: 100y-1@163.com



# ANTI-STATIC PRODUCTS

## Tearth Stud Kit

Detailed product specifications are available on: [us.100y.com.tw](http://us.100y.com.tw)



Clip



Cord-6Ft



Ground Cord-Blue



Ground Cord  
-Black cord with yellow end



Cord-PVC



IE2DR-000000



3048

Part No.	Product No.	Description	Manuf.	Length
3369	3048	Grounding System for Wrist Strap/Table Mat.	3M	15 Ft
20603	Cord-6FT	Ground Cord		1.5M
29720	Cord-PVC	Female Snap for the Ground Cord Should be Ordered (No Impedance), DC		Black
3728	IE2DR-000000	Stud Punch	RS	
3726	Ground Cord-Yellow	Ground Cord	RS	6 Ft (Black Cord with Yellow End)
29010	Ground Cord-Blue	Ground Cord		6 Ft (Blue)
33953	Clip	Clip		

## Personal Grounding Wristband Checker



HAKKO 498



MK-8401



MK-8404



Ts701



19252



WRST-1T



WRST-1T-A



HAKKO 498-1

### 3M™ Test Kit for Static Control Surfaces 701, Certified!

- Color: Gray
- Cushion Design: Foam-filled
- Cushioned: Yes
- Depth: 13.5 Inch

- Enclosure Material: High Density Polyethylene
- Housing Length: 5.125 Inch
- Housing Width: 10 Inch
- Weight: 14 Pound

Part No.	Product No.	Description	Manuf.	Power Supply	Impedance Calibration	Indication
37519	19252	Wrist Strap/Footwear Tester	DESCO	9 volt battery		
3381	HAKKO 498	Static Wrist Strap Tester	HAKKO	DC 9V	Low Red R < 800KΩ Green 800KΩ ≅ R ≅ 9MΩ High Red R > 9MΩ	Low Red, Green, High Red
27494	HAKKO 498-1	Ground Cord For:498	HAKKO			
35121	MK-8401-A	Wrist Strap Tester		9V	750K~10M	
20601	MK-8401-U	Wrist Strap Tester		9V	900K~35M	
11611	MK-8404	Foot Plate Tester				
15877	TS701	Test Kit For Static Control Surfaces	3M			
11609	WRST-1T	Wrist Strap Tester	OK	9V	OK(Green) 750K-10M HI>10M LO(Red)<750K	OK(Green) HI LO(Red)
11610	WRST-1T-A	Static Test Plate	OK	9V	High Fail>35M Pass 900k~35M, Low Fail<800K	High Fail, Pass, Low Fail

## Coiled Leads and Elasticated Wrist Straps



4614



4674 Green 3M



MK-8430



Pc000000000



RSB-111



RSB-112



RSB-112



WRS-E



WRS-Ass-P1



WRS-10



WS-11

### 3M Wrist Strap 1763

- Comfortable, light-weight, adjustable degrees of tightness.
- Thermoplastic shell

- Inner conduction layer
- Low energy ion emission
- The set of the wrist straps and clips are available

Part No	Product No.	Description	Manuf.	Color	Size
22642	4614	Wrist Strap Cord	3M	Black	5 Ft
1763	4674 Green 3M	Wrist Strap	3M	Iridescent Green	5 Ft
29125	MK-8430	Ground Cord Exclusively Used for Metal Foot Plate		Black	150 mm
13090	PC000000000	Cordless Wrist Strap		Blue	
6320	RSB-111	Wrist Strap	RS	Black	6 Ft
3373	RSB-112	Wrist Strap	RS	Blue	6 Ft
12943	RSB-112	Wrist Strap (No Ground Lime)-Blue	RS	Blue	
3372	WRS-10	Wrist Strap		Sapphire Blue	2.1 M
20602	WRS-Ass-P1	Wrist Strap		Blue	
20105	WRS-E	Wrist Strap	XYTRONIC	Blue	
35714	WS-11	Wrist Strap	Goot	Blue	1.7 M





# ANTI-STATIC PRODUCTS

## Conductive Gloves

Detailed product specifications are available on: [us.100y.com.tw](http://us.100y.com.tw)



B500-B00010



B5500-B0018



BTL213  
Anti-Static Finger Cot-L  
Anti-Static Finger Cot-M



ES-30123  
ES-30127  
ES-30129



Anti-Static Rubber Band



Anti-Static Shoes



Anti-Static Shoes

**Anti-Static Finger Cot:** Impedance range /10E9-10E11 OHM/SQ

**Anti-Static Rubber Band:** Provide the most appropriate ESD protection Surface resistance: > 1010 OHMS/SQ

**Anti-Static Slippers:** Material: Upper-PVC Sole-Anti-Static PVC Impedance range: 10E5<R<10E8 ohm

**Anti-Static Shoes:** Upper-PVC and nylon mesh Sole-Anti-Static or rubber Ground impedance range: 10E5 < R < 10E8 Ω



Part No.	Product No.	Description	Manuf.	Color
17525	B500-B00010	Anti-Static Gloves -S	RS	White
16278	B500-B00010	Anti-Static Gloves -M	RS	White
3069	B500-B00010	Anti-Static Gloves (Slip Proof)	RS	White
3389	B5500-B0018	Anti-Static Slippers	RS	Deep Blue
15511	BTL213	Anti-Static Finger Cot -L	BTL	Skin Color
39741	ES-30123	Dust Stick Pad		Blue
39740	ES-30127	Dust Stick Pad		Blue
39738	ES-30129	Dust Stick Pad		Blue
33329	MOOTL	Anti-Static Finger Cot -L		Skin Color
33328	MOOTM	Anti-Static Finger Cot -M		Skin Color
14264	Anti-Static Finger Cot-L	Anti-Static Finger Cot -L	Dongkuk	Skin Color
14265	Anti-Static Finger Cot-M	Anti-Static Finger Cot -M	Dongkuk	Skin Color
39724	Anti-Static Shoes	Anti-Static Shoes		White
3374	Anti-Static Shoes	Anti-Static Shoes		White
16513	Anti-Static Rubber Band	Anti-Static Rubber Band ESD Bungee	RS	Pink
40083	Sleeve			

## Anti-Static Packaging Materials Conductive Anti-Static Bags



MATERIAL: Polyethylene with compound conductive material.

SURFACE RESISTIVITY: 103~5 ohm/cm2

THICKNESS: 0.05 or 0.1mm

STATIC DECAY TEST: From 5kv to 0 volt less than 0.5 secs.



Part No.	Product No.	Manuf.	Size (L*W)	Color	Description
10064	RSB-102/15C*25C	RS	15cm*25cm	Black	Conductive Anti-Static Bags

## Conductive Anti-Static Foam Sheet

Detailed product specifications are available on: [us.100y.com.tw](http://us.100y.com.tw)



1M\*1M\*5mm  
9\*6\*5



18\*18\*5  
18\*9\*5  
180\*125\*10mm  
1M\*1M\*3.5mm  
1M\*1M\*8mm



10\*200\*400mm

Part No.	Product No.	Description	Manuf.	Size (L*W*H)
3390	18*18*5	Anti-Static Foam Sheet	RS	180*180*5mm
3391	18*9*5	Anti-Static Foam Sheet	RS	180*90*5mm
15461	180*125*10mm	Conductive Anti-Static Foam Sheet	RS	180*125mm*10mm
14779	1M*1M*3.5mm	Conductive Anti-Static Foam Sheet	RS	1M*1M*3.5mm
13959	1M*1M*5mm	Black Conductive Anti-Static Foam Sheet	RS	5mm*100cm*100cm
14780	1M*1M*8mm	Conductive Anti-Static Foam Sheet	RS	1M*1M*8mm
3392	9*6*5	Anti-Static Foam Sheet	RS	90*60*5mm
23285	Filter Mesh Foam Sheet 10*200*400mm	Filter Mesh Foam Sheet		10*200*400mm

We provide you with **all kinds** of products and help to expand your **business scope**





# ANTI-STATIC PRODUCTS

## Static Safe Storage

### Anti-Static Box

Detailed product specifications are available on: [us.100y.com.tw](http://us.100y.com.tw)



4024  
4023



3445



CB-07



CB-08



CB-06  
CB-05



BTL-202-15 (FC2001-10)



BTL202-11

#### Small Black Conductive IC Box

- Suit for such components as: resistance, condenser
- Combined from each direction, stand components
- Black conductive material, conductive impedance 105 Ω ;
- Suit for R & D, engineering, and maintenance department


#### Conductive IC Box

- Material: POLYPROPYLENE with carbon material injection-molding.
- Resistance range: 103 ~ 105 OHM/SQ
- Features: Conductive, acid-proof, no auto-ignition, shockproof, bear weight, durable in use, suit for manufacture

Part No.	Product No.	Description	Manuf.	Size (L*W*H)
12843	202-14	Conductive IC Box / Stationery Box	BTL	Contour size 183*92*29mm / Interior size 177*86*26.5mm
12842	BTL-2002-13	Conductive IC Box	BTL	Contour size 115*85*45mm / Interior size 96*76*44mm
19453	BTL-202-15(FC2001-10)	Conductive IC Box / Stationery Box (M)		94*94*10mm
12845	BTL202-11	Conductive IC Box	BTL	Contour size 205*118*74mm / Interior size 185*102*62mm
12844	BTL202-12	Conductive IC Box	BTL	Contour size 125*115*68mm / Interior size 110*110*56mm
12841	BTL202-16	Conductive IC Box / Stationery Box (S)		51*51*9.5mm
3530	CB-05	Small Black Conductive IC Box		Outside measurement 16mm*28mm*19mm
3529	CB-06	Small Black Conductive IC Box		Outside measurement 32mm*28mm*19mm
28604	CB-07	Conductive SMD Storage Boxes		Outside measurement(mm):32*56*19
28605	CB-08	Conductive SMD Storage Boxes		Outside measurement(mm):64*56*19
1767	4023	3M_IC Storage Boxes	3M	6.5cm*9cm*4.4cm
1768	4024	3M_IC Storage Boxes	3M	17.8cmL*9cmW*2.5cmH
3445	8521	3M_IC Storage Boxes	3M	30.5cm*22.9cm*3.2cm
16120	IC Storage Box	IC Storage Box	LIANGCAI	56*31*20mm

## Anti-Static Bags


Detailed product specifications are available on: [us.100y.com.tw](http://us.100y.com.tw)



CA550600001  
RSB-101-15C-20C  
RSB-101-15C-25C  
RSB-101-15C-30C  
RSB-101-22C-30C  
RSB-101-25C-30C  
RSB-101-25C-35C  
RSB-101-40C-25C  
RSB-101-40C-35C



100\*160\*0.1  
160\*255\*0.1  
250\*350\*0.1  
250\*400\*0.1



RSB-103-15C-25C  
RSB-103/15C\*20C

#### RSB-103

- MATERIALS: Antistatic polyethylene tllm coating finishing, conductive printing.
- SURFACE RESISTIVITY: Outer layer-105-6 ohm/cm<sup>2</sup>  
Inner layer-1010-11 ohm/cm<sup>2</sup>.
- THICKNESS: 0.1mm.
- STATIC DECAY TEST: From 5kv to 0 volt less than 1 sec.

#### Static Electricity Isolation Bag

- MATERIAL CONSTRUCTIONS: Top layer-Dissipative protecting coating. Second layer-polyester fitm. Third layer Metallic layer. Inner layer Antistatic polyethylene tllm.
- SURFACE RESISTIVITY: Outer layer-10<sup>9</sup> ohm/cm<sup>2</sup> Metallic layer 50 Ω/cm<sup>2</sup>. Inner layer -----10<sup>10</sup> ohm/cm<sup>2</sup>.
- MATERIAL THICKNESS: Polyester film-0.015mm. Metallic layer-100 micro-mPolyethylene film-0.08mm. Total thickness-0.1mm.
- STATIC DECAY TEST: From 5kv to 0 volt less than 0.1 sec.

Part No.	Product No.	Description	Manuf.	Size (L*W*)
14552	100*160*0.1	Static Electricity Isolation Bag	Twn-lami	100*160*0.1mm(Interior size)
14553	160*255*0.1	Static Electricity Isolation Bag	Twn-lami	160*260*0.1mm(Interior size)
14554	250*350*0.1	Static Electricity Isolation Bag	Twn-lami	250*350*0.1mm(Interior size)
14555	250*400*0.1	Static Electricity Isolation Bag	Twn-lami	250*400*0.1mm(Interior size)
13331	CA550600001	Static Electricity Isolation Bag		55C*60C
3151	RSB-101-15C-20C	Gray	RS	15*20C
3619	RSB-101-15C-25C	Static Electricity Isolation Bag	RS	15C*25C
10062	RSB-101-15C-30C	Static Electricity Isolation Bag	RS	15C*30C
3624	RSB-101-22C-30C	Static Electricity Isolation Bag	RS	22C*30C
3625	RSB-101-25C-30C	Static Electricity Isolation Bag	RS	25C*30C
3626	RSB-101-25C-35C	Static Electricity Isolation Bag	RS	25C*35C
10060	RSB-101-40C-25C	Static Electricity Isolation Bag	RS	40C*25C
10061	RSB-101-40C-35C	Static Electricity Isolation Bag	RS	40C*35C
3620	RSB-103-15C-25C	Anti-Static Bags	RS	15C*25C
2044	RSB-103/15C*20C	Anti-Static Bags	RS	15C*20C



T E L : Taiwan: 886-3-5753170  
F A X : Taiwan: 886-3-5753172  
E-mail: Taiwan: [us\\_sale@100y.com.tw](mailto:us_sale@100y.com.tw)

Shenzhen: 86-755-83298787  
Shenzhen: 86-755-83640655  
Shenzhen: 100y@163.com

Shanghai: 86-21-54151736  
Shanghai: 86-21-64605107  
Shanghai: 100y-1@163.com



# ANTI-STATIC PRODUCTS

## Anti-Static Foam Sheet

Detailed product specifications are available on: [us.100y.com.tw](http://us.100y.com.tw)



Lb10010000

- MATERIAL: Polyethylene compound with anti-static material.
- CONSTRUCTION: Two or three layers.



Part No.	Product No.	Description	Manuf.	Size (L*W)
13684	LB10010000	Anti-static Bubble Wrap Rolls	RS	100cm*100cm



RSB-105 / 17\*27  
RSB-105 / 17\*32

- MATERIAL: Polyethylene compound with anti-static material.
- CONSTRUCTION: Two or three layers.
- SURFACE RESISTIVITY:  $10^9$ ohm/cm<sup>2</sup>
- STATIC DECAY TEST: From 5kv to 0 volt less than 2 secs.

Part No.	Product No.	Description	Manuf.	Size (L*W)
3623	RSB-105/17*27	Anti-static Bubble Bags	RS	17cm*27cm
3622	RSB-105/17*32	Anti-static Bubble Bags	RS	17cm*32cm



Li100100000

- MATERIAL: Polyethylene compound with anti-static material.
- CONSTRUCTION: Two or three layers.

Part No.	Product No.	Description	Manuf.	Size (L*W)
13635	LI100100000	Anti-static Bubble Wrap Rolls		100*100CM



Anti-static  
Bubble Bags

- MATERIAL: Polyethylene compound with anti-static material.
- CONSTRUCTION: Two or three layers.
- SURFACE RESISTIVITY:  $10^9$ ohm/cm<sup>2</sup>
- STATIC DECAY TEST: From 5kv to 0 volt less than 2 secs.



Detailed product specifications are available on: [us.100y.com.tw](http://us.100y.com.tw)

Part No.	Product No.	Description	Manuf.	Size (L*W)
17921	Anti-static Bubble Bags	Anti-static Bubble Bags	RS	260*(350+400)mm
28538	Anti-static Bubble Bags	Anti-static Bubble Bags	RS	250*(350+350)mm

- We include hundreds of products each month.
- If you cannot find the components you want on the catalogue, please call us or you can go to our website.
- We also provide service of reserving products for you

**Centenary Materials**  
Waiting for your phone call

<http://us.100y.com.tw/>

