

# Lubricants & Greases

## Lubricants De-Moisturising Fluid/Lubricant

Detailed product specifications are available on: [us.100y.com.tw](http://us.100y.com.tw)



### General Information

TKX is an all-purpose penetrant, lubricant and protectant which will displace moisture, loosen frozen parts and protect against corrosion. TKX is an excellent lubricant for cables, gears, and chains. TKX provides a nondrying, oily film for lubricating equipment and machines. TKX has a high flash point of 175°F, so it can be used in areas where flammability may be a potential problem. TKX doesn't contain chlorinated solvents or silicones, and it is safe to use on most surfaces.

Part No.	Product No.	Manufacturer	Description	Capacity
40053	02016	LPS	LPS TKX All-Purpose Penetrant, Lubricant and Protectant	11 oz. (400ML)



### FEATURES

- Displaces water, moisture and damp from all surfaces because of its acute angle of contact against the relatively high angle presented by water, its very low surface tension and high capillary action drives water away from the surfaces and fills the pores as the water disperses.
- Stops rust and corrosion by ensuring that water and moisture cannot penetrate where rust and corrosion originate. For long term protection, if items are to be stored in aggressive environments, Permagard 40 should be applied at regular intervals as part of a maintenance schedule.
- Penetrates seized parts and enables them to be freed more easily, thereby preventing damage due to excessive forces that would have to be used if it was not applied, as well as the time that can be saved.
- Good lubricant - its deep penetration reduces coefficient of friction between surfaces and it can be used with confidence on small diameter load bearing surfaces in inaccessible locations. For heavy duty bearings which have seized, Permagard 40 can be used to release them prior to being re-greased or oiled with the suitable Electrolube mechanical lubricant.
- Stops electrical leakage by removing damp and moisture which provide leakage paths for current flow.

Part No.	Product No.	Manufacturer	Description	Capacity
2528	EPE200H	ELECTROLUB	Rust-proof Oil	200ml/Bottle



G-2000



K-40



K-85

Part No.	Product No.	Manufacturer	Description	Capacity
50680	G-2000	KONTAKT	Protection and lubrication of plated connectors and contacts	200ml/Can
50678	K-40	KONTAKT	LUBRICANTS	200ml/Can
50677	K-85	KONTAKT	PTFE antifriction	200ml/Can



- All purpose lubricant which forms a unique air tight coating that simultaneously dries as it protects, unlike other lubricants which stay "wet" and attract dirt.
- Lubricates parts, prevents rust, cleans, stops squeaks, displaces moisture, and is non conductive.

Part No.	Product No.	Manufacturer	Description	Capacity	Weight
52042	M1-400ml	Starrett	M1-All Purpose lubricant	400ml	380g/can



Nx129



Nx20



Nx31

Part No.	Product No.	Description	Capacity
49734	NX129	Green mold KOHZAI_NX129 Antirust	480ML
49732	NX20	Long-term lubricants KOHZAI_NX20	300ML
49720	NX31	KOHZAI_NX31 antirust oil	300ML



S-88

Part No.	Product No.	Manufacturer	Description	Capacity
50679	S-88	KONTAKT	High Quality antifriction	200ml/Can



T E L : Taiwan: 886-3-5753170  
F A X : Taiwan: 886-3-5753172  
E-mail: Taiwan: [us\\_sale@100y.com.tw](mailto:us_sale@100y.com.tw)

Shenzhen: 86-755-83298787  
Shenzhen: 86-755-83640655  
Shenzhen: [100y@163.com](mailto:100y@163.com)

Shanghai: 86-21-54151736  
Shanghai: 86-21-64605107  
Shanghai: [100y-1@163.com](mailto:100y-1@163.com)

62-01

# Lubricants & Greases

## De-Moisturising Fluid/Lubricant

Detailed product specifications are available on: [us.100y.com.tw](http://us.100y.com.tw)



### Applications

- For loosening binding crews, nuts, etc. caused by rust or seizure.
- For anti-rust or lubricating metal ware.
- Bottom up spray is available.

Part No.	Product No.	Description	Capacity
8329	VB-PN55	KOHZAI_PN55 Rust-proof Oil	420ml



The holidays are here, which means it's time for houseguests. When hosting and entertaining friends and family, be sure your house is up to the task. Use WD-40 to:

- Eliminate scuff marks from tile floors
- Remove water spots and mildew on mirrors and windows
- Clean dirt marks and crayon from walls and floors
- Lubricate sticky cabinets and drawers
- Stop squeaks on door hinges and furniture

Part No.	Product No.	Description	Capacity
33287	WD-40-15.9	WD-40	15.9 ounce



Part No.	Product No.	Manufacturer	Description	Capacity
52009	Muti-Function Lubricant	3M	Muti-Function Lubricant	19oz/Can

## Greases

Detailed product specifications are available on: [us.100y.com.tw](http://us.100y.com.tw)



Part No.	Product No.	Description	Capacity
15648	G-40M	"ShinEtsu" High-Temp. Lubricants	100g



Part No.	Product No.	Manufacturer	Description	Capacity
48390	HCG03TN	ELECTROLUB	SAFETY DATA SHEET HIGH CONDUCTIVITY GREASE	3g



### PHYSICAL AND CHEMICAL PROPERTIES:

APPEARANCE: Grease.  
 COLOUR: Brownish.  
 ODOUR/TASTE: Mild (or faint).  
 BOILING POINT (°C, interval): 371  
 DENSITY/SPECIFIC GRAVITY (g/ml): 1.20

### SOLUBILITY DESCRIPTION:

Insoluble in water.  
 FLASH POINT (°C): 293  
 AUTO IGNITION TEMP. (°C): 360  
 FLAMMABILITY LIMIT - LOWER (%): 0.9  
 FLAMMABILITY LIMIT - UPPER (%): 7.0  
 Temperature (°C): 20  
 Method: CC (Closed cup).

Part No.	Product No.	Manufacturer	Description	Capacity
27442	HCG50TN	ELECTROLUB	SAFETY DATA SHEET HIGH CONDUCTIVITY GREASE	50g



Part No.	Product No.	Capacity
48391	SAFETY DATA SHEET HIGH CONDUCTIVITY GREASE	3gr
48393	SAFETY DATA SHEET HIGH CONDUCTIVITY GREASE	3gr
48392	SAFETY DATA SHEET HIGH CONDUCTIVITY GREASE	3gr

- We provide a wide range of products to development and maintenance engineers in all type of business
- If you cannot find the components you want on the catalogue, please call us.



Taiwan: 886-3-5753170

Shanghai: 021-54151736 Shenzhen: 0755-83298787

**Centenary Materials**

Waiting for your phone call



T E L : Taiwan: 886-3-5753170  
 F A X : Taiwan: 886-3-5753172  
 E-mail: Taiwan: [us\\_sale@100y.com.tw](mailto:us_sale@100y.com.tw)

Shenzhen: 86-755-83298787  
 Shenzhen: 86-755-83640655  
 Shenzhen: [100y@163.com](mailto:100y@163.com)

Shanghai: 86-21-54151736  
 Shanghai: 86-21-64605107  
 Shanghai: [100y-1@163.com](mailto:100y-1@163.com)



# Lubricants & Greases

## Cutting Fluid Hand Applied Cutting Fluids

Detailed product specifications are available on: [us.100y.com.tw](http://us.100y.com.tw)



**Product Specifications:**

- Unit Package Description : 20 Ounce Aerosol
- Generic Description 1 : Heavy Duty Degreaser
- Net Fill : 19 Wt Oz
- Unit Dimensions-Inches : 9.25H x 2.63W x 2.63L
- Units Per Case : 12
- Case Dimensions-Inches : 10.25H x 8.5W x 11.5L
- Specific Gravity : 1.46 at 70°F
- Dielectric Strength : 36,700 Volts/Mil
- Propellant : Carbon Dioxide

Part No.	Product No.	Manufacturer	Description
32171	CRC02018	CRC	CRC_Heavy duty electrical parts degreaser



**Product Specifications:**

- Unit Package Description : 5 Gallon Pail
- Generic Description 1 : Heavy Duty Degreaser
- Unit Dimensions-Inches : 13.75H x 13.75W x 11.25L
- Case Dimensions-Inches : 13.75H x 11.5W x 11.5L
- Cases Per Pallet : 24
- Appearance : Colorless Liquid
- Odor : Irritating Odor at High Concentrations
- Base Type : Chlorinated
- Dielectric Strength : 36,700 Volts/Mil

Part No.	Product No.	Manufacturer	Description
32182	CRC02021	CRC	CRC_Heavy duty electrical parts degreaser



Part No.	Product No.	Manufacturer	Description	Capacity
44752	CRC02122	CRC	Lectra Clean®II Non-Chlorinated Heavy Duty Degreaser	5 Gallon Pail



D2410-12S



E-65

Part No.	Product No.	Manufacturer	Description	Capacity
2556	D2410-12S	TECHSPRAY	Techspray_2410 Hand Applied Cutting Fluids	12 Oz/242ml/340g
48769	E-65		Ultrasolve Cleaning Solvent	200ml/Bottle



**FEATURES**

- Non-CFC, non-halogenated cleaning solvent will not attack the Ozone Layer.
- Excellent removal of greases, oils, flux residues and acrylic conformal coatings from PCBs.
- Leaves a perfectly clean, dry surface - conventional solvents often leave greasy deposits which attract dust and dirt.
- Harmless to most plastics, rubbers, elastomers, and surface coatings.
- CO<sub>2</sub> propelled aerosol version available containing 20% more active cleaner.

Part No.	Product No.	Manufacturer	Description	Capacity
5011	ULS200D	ELECTROLUB	Ultrasolve Cleaning Solvent	200ml/Bottle



Part No.	Product No.	Manufacturer	Description	Capacity
48770	VS-90	KONTAKT	Ultrasolve Cleaning Solvent	150ml/Bottle

## Other Type Spray Other Type Spray

Detailed product specifications are available on: [us.100y.com.tw](http://us.100y.com.tw)



16-401



16-501

Part No.	Product No.	Manufacturer	Description	Capacity
11943	16-401	3M	3M Electrical Coating	11 Oz
11941	16-501	3M	3M Zinc-coating	14 Oz

- We provide a wide range of products to development and maintenance engineers in all type of business
- If you cannot find the components you want on the catalogue, please call us.



Taiwan: 886-3-5753170

Shanghai: 021-54151736 Shenzhen: 0755-83298787

**Centenary Materials**  
Waiting for your phone call



T E L : Taiwan: 886-3-5753170  
F A X : Taiwan: 886-3-5753172  
E-mail : Taiwan: [us\\_sale@100y.com.tw](mailto:us_sale@100y.com.tw)

Shenzhen: 86-755-83298787  
Shenzhen: 86-755-83640655  
Shenzhen: [100y@163.com](mailto:100y@163.com)

Shanghai: 86-21-54151736  
Shanghai: 86-21-64605107  
Shanghai: [100y-1@163.com](mailto:100y-1@163.com)